Author Index

Alegre, L., see Carrasquer, A.M. 459
Antonopoulos, C. A., see Karamanos, N. K. 421
Baldwin, R. P., see Prabhu, S. V. 227
Bantjes, A., see Te Booy, M. P. W. M. 103
Beresten, S. F., see Wolfson, A. D. 277
Beugeling, T., see Te Booy, M. P. W. M. 103
Bhide, S. V., see Sawhney, S. Y. 272
Booy, M. P. W. M. te, see Te Booy, M. P. W. M. 103
Borgerding, M. F., see Byrd, G. D. 359
Brindle, I. D., see Marvin, C. H. 167
Bush, L. P., see Fannin, F. F. 288
Bush, S. G.
—— and Jorgenson, J. W.
Confirmation and application of transmission near infrared absorption technique for absolute quantitation of functional groups on silica gel 69
Byrd, G. D.
——, Fowler, K. W., Hicks, R. D., Lovette, M. E. and Borgerding, M. F.
Isotope dilution gas chromatography–mass spectrometry in the determination of benzene, toluene, styrene and acrylonitrile in mainstream cigarette smoke 359
Carrasquer, A. M.
——, Casals, I. and Alegre, L.
Semi-automated method for the determination of abscisic acid in crude plant extracts 459
Casals, I., see Carrasquer, A. M. 459
Chiba, M., see Marvin, C. H. 167
Cortes, H. J., see Gerhart, B. B. 377
Crane, L. J., see Narayanan, S. R. 93
Dahl, S. G., see Loennechen, T. 205
Davies, N. W.
Gas chromatographic retention indices of monoterpenes and sesquiterpenes on methyl silicone and Carbowax 20M phases (Review) 1
De Jonge, E., see Te Booy, M. P. W. M. 103
Deratani, A., see Thuaud, N. 453
Douglas, Jr., F. W., see Sapers, G. M. 431
Dvořák, M., see Kmosták, S. 260
Evans, C. E.
—— and McGuffin, V. L.
Evaluation of refractive index artifacts in liquid chromatographic absorbance detection. Extension to non-ideal injection and gradient elution 127
Everaerts, F. M., see Verheggen, Th. P. E. M. 245
Evers, P., see König, W. A. 256
Fannin, F. F.
——, Bush, L. P., Siegel, M. R. and Rowan, D. D.
Analysis of peramine in fungal endophyte-infected grasses by reversed-phase thin-layer chromatography 288
Fowler, K. W., see Byrd, G. D. 359
Gawdzik, B.
Studies on the selectivity of porous polymers based on polyaromatic esters 41
Gerhart, B. B.
—— and Cortes, H. J.
Determination of chlorpyrifos in water by large-volume direct aqueous injection capillary gas chromatography 377
Getek, T. A., see Hornedo-Nuñez, A. 217
Glatz, Z.
——, Tomandl, J., Janiczek, O. and Marek, A.
Chromatographic purification of glucose-6-phosphate dehydrogenase and lactate dehydrogenase from *Leuconostoc mesenteroides* 197
Gunawan, S.
——, Walton, N. Y. and Treiman, D. M.
High-performance liquid chromatographic determination of selected amino acids in rat brain by precolumn derivatization with phenylisothiocyanate 177
Gutierrez, L., see Rustum, A. M. 115
Hall, C. D., see Marvin, C. H. 167
Hanada, Y., see Terashi, A. 369
Hanaoka, N.
Post-column adjustment of conditions for peroxyoxalate chemiluminescence detection for high-performance liquid chromatography 155
Hicks, K. B., see Sapers, G. M. 431
Hicks, R. D., see Byrd, G. D. 359
Hirata, Y.
——, Minami, M., Naoi, M. and Nagatsu, T.
Studies on the uptake of N-methylisoquinolinium ion into rat striatal slices using high-performance liquid chromatography with fluorimetric detection 189
Hjerpe, A., see Karamanos, N. K. 421
Horiuchi, K., see Suemitsu, R. 282
Hornedo-Nuñez, A.
——, Getek, T. A., Korfmacher, W. A. and Simentahl, F.
High-performance liquid chromatography of clindamycin and clindamycin phosphate with electrochemical detection 217
Ishigami, A., see Kawasaki, N. 237

Italia, A.
——, Schiavi, M. and Ventura, P.
Direct liquid chromatographic separation of enantiomeric and diastereomeric terpenic alcohols as β-cyclodextrin inclusion complexes 266
Janiczek, O., see Glatz, Z. 197
Jonge, E. de, see Te Booy, M. P. W. M. 103
Jorgens, J. W., see Bush, S. G. 69
Karamanos, N. K.
——, Wikström, B., Antonopoulos, C. A. and Hjerpe, A.
Determination of N-acetyl- and N-glycolylneuraminic acids in glycoconjugates by reversed-phase high-performance liquid chromatography with ultraviolet detection 421
Kawasaki, N.
——, Ishigami, A., Tanimoto, T. and Tanaka, A.
Determination of iron(III) ion using ion chromatography with electrochemical detection and its application to the assay of the ferroxidase activity of ceruloplasmin 237
Kaye, P. T.
—— and Learmont, R. A.
Chiral organosilicon compounds. II. Comparison of gas–liquid chromatographic and NMR analyses of enantiomeric alcohols 437
Kido, A., see Terashi, A. 369
Kim, H.-J.
Analysis of nitrogen dioxide in ambient air by ion-exclusion chromatography with electrochemical detection 466
Kmošťák, S.
—— and Dvořák, M.
Capillary gas chromatographic determination of sulphadimidine in pork tissues 260
Knabe, J., see König, W. A. 256
Knochs, Jr., S., see Narayanan, S. R. 93
König, B. W., see Te Booy, M. P. W. M. 103
König, W. A.
——, Lutz, S., Evers, P. and Knabe, J.
Enantiomer separation of chiral barbiturates and of α-lipoic acid by capillary gas chromatography with modified cyclodextrins as chiral stationary phases 256
Kopaciewicz, W., see Pfannkoch, E. A. 385
Korfmacher, W. A., see Hornedo-Nuñez, A. 217
Kubota, M., see Suemitsu, R. 282
Learmonth, R. A., see Kaye, P. T. 437
Lelievre, G., see Thuaud, N. 453
Lipari, F.
Determination of individual hydrocarbons in automobile exhaust from gasoline-, methanol- and variable-fueled vehicles 51
Loennechen, T.
—— and Dahl, S. G.
High-performance liquid chromatography of levomepromazine (methotrimeprazine) and its main metabolites 205
Lovette, M. E., see Byrd, G. D. 359
Lutz, S., see König, W. A. 256
McGuffin, V. L., see Evans, C. E. 127
Marek, A., see Glatz, Z. 197
Marvin, C. H.
——, Brindle, I. D., Hall, C. D. and Chiba, M.
Development of an automated high-performance liquid chromatographic method for the on-line pre-concentration and determination of trace concentrations of pesticides in drinking water 167
Mazurek, M., see Witkiewicz, Z. 293
Miller, R. L., see Sapers, G. M. 431
Minami, M., see Hirata, Y. 189
Mori, S.
Separation of poly(styrene–vinyl acetate) block copolymers by liquid adsorption chromatography 411
Motorin, Yu. A., see Wolfson, A. D. 277
Nagatsu, T., see Hirata, Y. 189
Naito, K.
——, Sagara, T. and Takei, S.
Adsorption effect on the retention volume of hydrocarbons and dialkyl ethers in gas–liquid chromatography using a polar stationary phase and silica gel support 25
Naoi, M., see Hirata, Y. 189
Narayanan, S. R.
——, Knochs, Jr., S. and Crane, L. J.
Preparative affinity chromatography of proteins. Influence of the physical properties of the base matrix 93
Ohnishi, K., see Suemitsu, R. 282
Over, J., see Te Booy, M. P. W. M. 103
Perry, J. A.
—— and Rateike, J. D.
Product purity as a function of elution order 403
Pfannkoch, E. A.
——, Switzer, B. S. and Kopaciewicz, W.
Aluminium ion mediated stabilization of silica-based anion-exchange packings to caustic regenerants 385
Prabhu, S. V.
—— and Baldwin, R. P.
High-pH ion-exchange separation and electrochemical detection of alditols, carbohydrates and acidic sugars 227
Rateike, J. D., see Perry, J. A. 403
Ribkinska, T. I., see Wolfson, A. D. 277
Riethorst, W., see Te Booy, M. P. W. M. 103
Rowan, D. D., see Fannin, F. F. 288

Rudling, J.
Improvement of activated carbon for air sampling 33
Rustum, A. M.
—— and Gutierrez, L.
Reversed-phase high-performance liquid chromatographic separation of the enantiomers of N-[4,4-di(3-methylthien-2-yl)-but-3-enyl] nipecotic acid on a Pirkle-type phenylglycine stationary phase 115
Sagara, T., see Naito, K. 25
Sapers, G. M.
——, Douglas, Jr., F. W., Ziolkowski, M. A., Miller, R. L. and Hicks, K. B.
Determination of ascorbic acid, dehydroascorbic acid and ascorbic acid-2-phosphate in infiltrated apple and potato tissue by high-performance liquid chromatography 431
Sawhney, S. Y.
—— and Bhide, S. V.
Immobilized mucin: an affinity matrix for the isolation of winged bean acidic and basic lectins 272
Schiavi, M., see Italia, A. 266
Schoots, A. C., see Verheggen, Th. P. E. M. 245
Sebille, B., see Thuaud, N. 453
Shinohara, R., see Terashi, A. 369
Siegel, M. R., see Fannin, F. F. 288
Simenthal, F., see Hornedo-Nuñez, A. 217
Staniewski, J.
—— and Szymanowski, J.
Gas chromatographic analyses of hydroxyoxime extractants of metals and their intermediates. I. Alkylsalicylaldehyde oximes 442
Suemitsu, R.
——, Horiuchi, K., Ohnishi, K. and Kubota, M.
High-performance liquid chromatographic determination of alterporriol D and E in fermentation of *Alternaria porri* (Ellis) Ciferri 282
Swedberg, S. A.
Use of non-ionic and zwitterionic surfactants to enhance selectivity in high-performance capillary electrophoresis. An apparent micellar electrokinetic capillary chromatography mechanism 449
Switzer, B. S., see Pfannkoch, E. A. 385
Szulc, J., see Witkiewicz, Z. 293
Szymanowski, J., see Staniewski, J. 442
Takei, S., see Naito, K. 25
Tanaka, A., see Kawasaki, N. 237
Tanimoto, T., see Kawasaki, N. 237
Te Booy, M. P. W. M.
——, Faber, A., De Jonge, E. Wolterink, E. P., Riethorst, W., Beugeling, T., Bantjes, A., Over, J. and König, B. W.
Large-scale purification of factor VIII by affinity chromatography: optimization of process parameters 103
Terashi, A.
——, Hanada, Y., Kido, A. and Shinohara, R.
Determination of primary and secondary aliphatic amines in the environment as sulphonamide derivatives by gas chromatography–mass spectrometry 369
Thuaud, N.
——, Sebille, B., Deratani, A. and Lelievre, G.
Determination by high-performance liquid chromatography of the binding properties of charged β-cyclodextrin derivatives with drugs 453
Tomandl, J., see Glatz, Z. 197
Treiman, D. M., see Gunawan, S. 177
Ventura, P., see Italia, A. 266
Verheggen, Th. P. E. M.
——, Schoots, A. C. and Everaerts, F. M.
Feasibility of capillary zone electrophoresis with suppression of electroendosmotic flow in completely closed systems 245
Walton, N. Y., see Gunawan, S. 177
Wikström, B., see Karamanos, N. K. 421
Witkiewicz, Z.
——, Mazurek, M. and Szulc, J.
Chromatographic analysis of chemical warfare agents (Review) 293
Wolfson, A. D.
——, Motorin, Yu. A., Ribkinska, T. I. and Beresten, S. F.
Purification of mammalian tyrosyl-tRNA synthetase by high-performance liquid chromatography 277
Wolterink, E. P., see Te Booy, M. P. W. M. 103
Ziolkowski, M. A., see Sapers, G. M. 431

Erratum

J. Chromatogr., 499 (1990) 291–304.

Page 301, 10th text line should read "surface was studied in the static adsorption experiment summarized in Table".